UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,165	10/31/2003	Jonathan D. Herbach	07844-623001	1607
21876 7590 04/30/2009 FISH & RICHARDSON P.C.			EXAMINER	
P.O. Box 1022	C MINI 55440 1000	DUNN, DARRIN D		
MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER NUMBER
			2121	
			NOTIFICATION DATE	DELIVERY MODE
			04/30/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PATDOCTC@fr.com

	Application No.	Applicant(s)
	10/699,165	HERBACH ET AL.
Office Action Summary	Examiner	Art Unit
	DARRIN DUNN	2121
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the o	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on <u>17 F</u> 2a) ☐ This action is FINAL . 2b) ☐ This action is FINAL . 2b) ☐ This action is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) ☐ Claim(s) 1-8 and 23-41 is/are pending in the a 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8, 23-39, 35-41 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	awn from consideration.	
Application Papers		
9) The specification is objected to by the Examina 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* * See the attached detailed Office action for a list.	nts have been received. Its have been received in Applicat Pority documents have been receive Bu (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Application/Control Number: 10/699,165 Page 2

Art Unit: 2121

DETAILED ACTION

- 1. The Office Action is responsive to the communication filed on 02/17/2009.
- 2. Claims 1-8, 23-29, and 35-41 are pending.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 5. Claims 1,3-4, 6-7, 23, 25, 28, 36-37, 39-40 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Raciborski et al. (USPN 20050132083) in view over MacInnis (USPN 20030028899).
- 6. As per claim 1, Raciborski et al. teaches a method comprising:
 receiving, at a server, a request from a client to take an action with respect to an electronic document ([ABSTRACT], [0028])

retrieving a document identifier from the request ([0028], [0032] e.g., customized XML); determining whether user authentication is needed based on the document identifier and the action ([0020], [0036])

Raciborski et al. teaches a specified authentication procedure ([0033] e.g., download manager software (e.g., procedure) is compiled after content objects are requested) but does not teach sending information specifying an acceptable authentication procedure. MacInnis teaches sending information specifying an acceptable authentication procedure ([ABSTRACT], [0012] e.g., descriptor information, i.e., information regarding an acceptable procedure. The Examiner's position is that a) a download manager is compiled and available to a client and b) before downloading a particular manager, descriptive information is provided to the client such that the best 'module version,' i.e., download manager, is available to the client. See discussion below for reasoning.)

Therefore, at the time the invention was made, one of ordinary skill in the art would have motivation to modify Raciborski et al. to include descriptor information sent to the client such that the client could choose the 'best' module, as taught by MacInnis. Raciborski et al. teaches multiple, available versions of a download manager ([0033]). MAcInnis teaches enabling the client to select the best 'module version.' Since enabling the client to select the best and most often compatible version based on client capabilities, it would have been obvious to send descriptive information about the manager program, i.e., authentication procedure, to ensure a compatible program |program version is downloaded and installed)

MacInnis teaches receiving an authentication procedure update request ([0012] e.g., it is interpreted that as authoring sources generate module versions, new versions become available to

the client. A client would select a new version, i.e., authentication procedure update request) in response to the client processing of the information specifying an acceptable authentication procedure (e.g., when new versions are available, the client could review and install these versions after receiving the descriptor list, i.e., processing information. After processing the information, the client could request the new version, i.e., authentication procedure update) but does not teach the request for information, i.e., descriptors, is initiated by the client. MacInnis teaches a client initiating the request for updates ([0007] e.g., the Examiner's position the aforementioned steps could be initiated by the client simply by communicating a need for updates to the server. From this point, the server would then send the client the descriptor list)

Therefore, at the time the invention was made, one of ordinary skill in the art would have motivation to enable a client to request an updated procedure. MacInnis teaches that new versions are made available to the client, which would be unknown to the client. MacInnis, as modified, teaches that a client would make a request for new versions. MacInnis, as modified, teaches that in response a descriptor list would be sent to the client showing the client the available versions, and from which a client may select the best version. In effect, in response to the client processing the available list, i.e., information specifying an acceptable authentication procedure, the client would receive an updated version of a program.

Raciborski et al teaches obtaining, at the server and in response to the authentication procedure update request, a software program comprising instructions operable to cause one or more data processing apparatus to perform operations effecting the authentication procedure ([0033] e.g., a download manager, i.e., software program, is selected as the best module available in response to the client processing descriptor lists, i.e., information specifying an acceptable

authentication procedure, which performs user authentication, i.e., operations effecting the authentication procedure. It is interpreted that the download manager, i.e., authentication manager, comprises instructions to effect authentication, i.e., operations effecting (e.g., realizing) the authentication procedure); and

sending the software program to the client for use in identifying a current user and controlling the action with respect to the electronic document based on the current user and document-permissions information associated with the electronic document ([0032], [0033], [0035] e.g., downloading manager software)

7. As per claim 3, teaches receiving, at a se Raciborski et al. teaches a method comprising: receiving, at a server, a request from a client to take an action with respect to an electronic document ([ABSTRACT], [0028])

obtaining, at the server and in response to the authentication procedure update request, a software program comprising instructions operable to cause one or more data processing apparatus to perform operations effecting the authentication procedure ([0033] e.g., a download manager, i.e., software program, is selected as the best module available in response to the client processing descriptor lists, i.e., information specifying an acceptable authentication procedure, which performs user authentication, i.e., operations effecting the authentication procedure. It is interpreted that the download manager, i.e., authentication manager, comprises instructions to effect authentication, i.e., operations effecting (e.g., realizing) the authentication procedure

sending the software program to the client for use in identifying a current user and controlling the action with respect to the electronic document based on the current user and

document-permissions information associated with the electronic document ([0032], [0033], [0035] e.g., downloading manager software;

receiving an updated authentication procedure (e.g., Raciborski et al. as modified by MacInnis, teaches where the program would have authoring sources generating new modules ([0012] e.g., updated authentication procedure. It is interpreted that a new version, as generated, is an updated authentication procedure because a download program is a procedure to authenticate a user)

receiving a subsequent request from the client to take the action with respect to the electronic document (e.g., as modified, supra claim 1, a client would make a request for a newer version.

This solves the pertinent problem of ensuring that the client is always up to date);

obtaining, at the server and in response to the request, a new software program comprising instructions operable to cause one or more data processing apparatus to perform operations effecting the updated authentication procedure (e.g., supra claim 1, where a new version is made available, the client receives the available versions prior to downloading (e.g., descriptor list), and subsequently the client would install the new program. The Examiner's position is that as new modules become available, a client could initiate a check to see whether a new module is available, in response the client would receive a descriptor list showing the available versions, and in response select the best module);

sending the new software program to the client for use in identifying the current user and controlling the action with respect to the electronic document based on the current user and the document-permissions information associated with the electronic document ([0033] e.g., as

modified, supra claim 1 discussion, new versions are made available, i.e., new software program, for subsequent installation)

8. As per claim 23, Raciborski et al., as modified, teaches a system comprising:

a client that sends an authentication procedure update request to a server in

response to client processing of information received from the server (e.g., supra claim 1

discussion. In response to the client processing available versions, i.e., descriptor list, the client would request a newer version of software based on the received descriptor list. The initial request could be initiated by the client such that following the request for newer versions, the client would process the descriptor list, and then request a newer version. The initial client request is simply for checking for new versions. Following this initial request, the client can request an actual version, i.e., requesting authentication procedure update based on the received descriptor list)

wherein the information received from the server specifies one or more acceptable authentication procedures (e.g., descriptor list. As modified, the descriptor list would include the available versions of a download manager)

the server that receives the authentication procedure update request, and in response to the client, the server obtains and sends a software program comprising instructions operable to cause one or more data processing apparatus to perform operations effecting an authentication procedure (e.g., supra claim 1, where the server has multiple versions of modules, in response to the client needing software, the server sends the descriptor list to the client, the client can then make a request for a new version of software, and the server will send the software to the client); and

wherein the client uses the software program to identify the current user and control an action with respect to an electronic document based on the current user and document-permissions information associated with the electronic document, and wherein the action comprises an action taken with respect to the electronic document subsequent to opening the electronic document at the client ([0041], [0043], [Figure 4D] e.g., supra claim 1 discussion)

- 9. As per claim 25 Rociborski et al. teaches the system of claim 23, wherein the client includes a security handler that provides a server-communication interface to the software program ([0020] e.g., transaction session identifier)
- 10. As per claim 36, teaches the system of claim 23, Raciborski et al., as modified, teaches wherein the server receives a subsequent request from the client to take action with respect to the electronic document ([0045] e.g., downloads implies that more than one request can be made) but Raciborski et al. does not teach obtaining, in response to the subsequent request, a new authentication process, and sends the new authentication process to the client for use in identifying the current user and controlling the action with respect to the electronic document based on the current user and the document permissions information associated with the electronic document. MacInnis teaches checking for new versions and enabling the client to continuously be updated with versions

Therefore, it would have been obvious to one of ordinary skill in the art to have provided a client with an updated authentication program if a newer version was available at the time of communication. It is foreseeable that newer versions are made available, these versions may be made available in response to a client seeking an update, a server informing the client of an

update, and or when a client communicates with the server (e.g., as in the case of requesting downloads).

- 11. As per claims 4 and 37, Raciborski et al. teaches software program uses an existing interface provided by the client to communicate authentication information to the server ([FIG 2A-208])
- 12. Claims 5, 26, and 38 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Raciborski et al. (USPN 20050132083) in view over MacInnis (USPN 20030028899) and in further view over Hu (USPN 5586260)
- 13. As per claims 5, 26, and 38, Raciborski et al. teaches receiving credentials information from the client derived at least in part based on input obtained by the client using the software program ([0041], [0043] e.g., passwords) but does not teach communicating with a third part authentication server to authenticate the current user based on the credentials information. Hu teaches a third party authentication server ([ABSTRACT])

Therefore, at the time the invention was made, one of ordinary skill in the art would have motivation to implement a third party authentication server as taught by Hu et al. Hu teaches a method for authenticating a client for a server. Raciborski teaches a system for authenticating a user/client to enable access to content stored on a server. Since a third party authentication server provides a well known means in which to maintain, store, and retrieve credentials, it would have been advantageous to provide this server as an additional means, in effect providing both redundancy in addition to reducing load on the primary server.

14. As per claims 6 and 39 Rociborski et al. teaches the method of claim 5, wherein the input obtained by the client comprises text input ([0041], [0043] e.g., password).

Application/Control Number: 10/699,165

Art Unit: 2121

15. As per claims 7 and 40, Rociborski et al. teaches the method of claim 5, wherein the input obtained by the client comprises biometric data ([0043] e.g., biometric authentication)

Page 10

- 16. Claims 8, 27, 38, and 41 are rejected over Raciborski et al. (USPN 20050132083) in view of Heath et al. (USPN 6006034) and in further view of Hu (USPN 5586260).
- 17. As per claims 8,27, 38, and 41, Raciborski et al. teaches receiving input from a client using the software ([0041], [0043]) e.g., password). It does not teach receiving an authentication receipt from a third party authentication server based on input obtained by the client using the software. Hu teaches returning an access key from an authentication gateway acting as a proxy server to the client, i.e., receipt, based on credentials ([ABSTRACT], [COL 1 lines 58-63] e.g., receiving an authentication receipt from a third party authentication server) and verifying the current user with the third party authentication server using the authentication receipt ([COL 1 lines 18-20], lines 59-63], [ABSTRACT] e.g., authenticating a client)

Therefore, at the time the invention was made, it would have been obvious to have provided a means in which to authenticate a client via saving security credentials,. Raciborski et al. teaches authenticating a user via credentials as to enable access to content on a server. Hu et al. teaches saving security credentials for later use and generating an access key for their retrieval and passing the access key to the client. In effect, saving the security credentials for later use and providing an access key for their retrieval obviates the need for repeated authentication. As a result, the system is further optimized and limits redundant authentication procedures.

18. As per claim 28, Raciborski et al., as modified, teaches a server comprising: a server core with configuration and logging components ([0029])

an internal services component that provides functionality across dynamically loaded methods ([0029] e.g., web page)

dynamically loaded external services providers, including an authentication service provide (supra Hu for authentication server - ABSTRACT)

- 19. Claim 29 is rejected under 35 U.S.C. 103 (a) as being unpatentable over Raciborski et al. (USPN 20050132083) in view over MacInnis (USPN 20030028899) and in further view over Tenerelllo (USPN 7233981)
- 20. As per claim 29, Raciborski et al. teaches a business logic tier comprising a cluster of document control servers ([0029] e.g. content delivery networks); an application tier including the client comprising a viewer client, a securing client, and an administration client ([FIG 1-FIG 2A client computer functions via providing a view browser, securing downloading the manager (securing a program), and administration (storage media)). However, Racoborski et al. does not teach a load balancer that routes client requests to the document control server.

 Tenerello teaches a system and method for load balancing ([COL 1 lines 14-20], [COL 2 lines 63-67])

Therefore, at the time the invention was made, one of ordinary skill would have motivation to load balance a system. Raciborski et al. teaches that various user computers may access content objects ([0029]) Tenerello teaches a load balancing means in which multiple requests may be efficiently processed. Since load balancing increases performance of a system, it would have been obvious to have enabled a system employing multiple user computers, each requesting access to a resource, a means to load balance the requests as to optimize the system.

Application/Control Number: 10/699,165

Art Unit: 2121

21. Claims 2, 24, and 35 are rejected under 35 U.S.C. 103 (a) as being unpatentable over

Page 12

Raciborski et al. (USPN 20050132083) in view over MacInnis (USPN 20030028899) and in

further view over Kano et al. (USPN 20030135650)

22. As per claims 2, 24, and 35, Raciborski et al. does not teach a second server providing the

software program. Kano et al. teaches a backup server ([ABSTRACT])

Therefore, at the time the invention was made, one of ordinary skill in the art would have

motivation to include a backup server as a means of providing redundancy. In the event of a

failure of the primary server, it would have been beneficial to utilize a backup server as a means

of distributing the software program, modules, and versions as they become available.

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

6963971

6950935

7062765

7140012

20020144257

20040059590

20040117664

Application/Control Number: 10/699,165 Page 13

Art Unit: 2121

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DARRIN DUNN whose telephone number is (571)270-1645. The examiner can normally be reached on EST:M-R(8:00-5:00) 9/5/4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert DeCady can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DD 04/26/09 /Albert DeCady/ Supervisory Patent Examiner Art Unit 2121